

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date: August 2019

Void After: August 2024

Product: Load Bearing, Bonded, Waterproof Membranes
for Thin-Set Ceramics Tile and Dimension
Stone Installations

File No. 9205

Issued To: Estil Guru S.l.
Apdo. De Correos 584
Ontinyent, VALENCIA 46870
Spain

Identification: Manufacturer's name or trademark, and the cUPC® certification mark.


Characteristics: Load bearing, bonded, waterproof membranes for thin-set ceramic tile and dimension stone installation. To be installed in accordance with the manufacturers instruction and the latest edition of the Uniform Plumbing Code and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: August 2024

Product: Load Bearing, Bonded, Waterproof Membranes for Thin-Set
Ceramics Tile and Dimension Stone Installations

File No. 9205

Issued To: Estil Guru S.l.

Products are in compliance with the following standard(s):

ANSI A118.10-2014, which is a component standard of the ANSI A108, A118
A136 Specifications for the Installation of Ceramic Tile
(Material & Installation Standards) compendium published December 2014



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: August 2024

Product: Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramics Tile and Dimension Stone Installations

File No. 9205

Issued To: Estil Guru S.l.

Models:

<u>Model No.</u>	<u>Description</u>
WATER-STOP 1M	Rolls of WATER-STOP with different large measures but all in a wide of 1 meter/ 3'3".10
WATER-STOP 2M	Rolls of WATER-STOP with different large measures but all in a wide of 2 meter/6'6".
W-S 14	Roll BAND Roll of WATER-STOP membrane which measures 5·1/2"x66' (14 cm x 20 m)
W-S 34	Roll BAND Roll of WATER-STOP membrane which measures 13·1/3"x66' (34 cm x 20 m)
W-S	DRAINFLASHING Preformed section of WATER-STOP to flashing connection to drain
W-S	DIN Preformed, seamless 90° inside corners from a section of WATER-STOP membrane
W-S	DEX Preformed seamless 90° outside/dam corners from a section of WATER-STOP membrane
W-S	TUBO Section of WATER-STOP with preformed gasket to seal pipe protrusions