

CONTENTS

| 101 |
|-----|
| 4 |
| |

| Our Company | 4 - 11 |
|--|---------|
| Evo Lite | 12 - 13 |
| Evolux Square | 14 - 15 |
| Evolux Linear | 16 - 17 |
| Drain Connector Square & Linear | 18 - 19 |
| Drain Connector Kit Square & Linear | 20 - 21 |
| W-S Heavy Duty Shower Tray Presloped Shower Pans | 22 - 25 |
| Kit For Mud Bed Shower Evolux Without Drain | 26 |
| Kit For Presloped Shower Superkit Square | 27 |
| Water-Stop Waterproofing Membrane | 28 - 29 |
| W-S Boards Wall Boards | 30 |
| G-Flex Uncoupling Membrane | 31 |
| Water-Stop Accessories | 32 - 33 |
| XPro Leveling System | 34 - 35 |
| Displays | 36 - 37 |
| Notes | 38 - 39 |









GURU USA


CONTINUOUS EVOLUTION TOWARDS EXCELLENCE

GURU USA L.L.C. is a family business which is consolidated in construction sector with an unblemished reputation and business soundness. GURU has grown with the manufacture and marketing of waterproofing products.

GURU's concern is to incorporate innovative products based on exhaustive research into new proposals for construction solutions. Our attitude leads us to develop reliable products aimed at meeting the expectations of our customers by offering personal and technical support.

GURU is present in four continents with an excellent and professional team who has an extensive experience in waterproofing membranes, Italian shower systems built-in and all kind of accessories for working professional tile fixers. GURU guarantee the highest quality standards according to the criteria provided by European Union and in compliance with several international certificates that have been performed by external laboratories such as IAPMO, CSTB, KIWA.





PRODUCTION

MADE IN SPAIN 100%

There are not many PET-EVA sheet manufacturers in the world and we are very proud to be one of them. The only Company that can manufacture up to 3 metres wide and 4 layers membrane.

Since of creation of a waterproof products in 2007, our brand has been growing and evolving in the recent years. We have gained access to the final finishing of showers and the need to bring creativity and excellence to our shower grating has arisen.

This is the way that GURU waterproofing products was born. A brand name whose products have become the best solution for waterproofing under ceramic tiles in indoors and outdoors cladding.

Nowadays GURU it's a dynamic brand that has go beyond the company. GURU brings together, evokes, and synthesizes the past, present and future, a brand that opens a mental file that it is a perfect combination of innovation and tradition.

We design and manufacture our drains to the highest standards, and are only injected with the best ABS manufactured by Repsol.







WE CARE FOR THE ENVIRONMENT



RECYCLED: All our products meet the highest demands on recyclability thanks to their unique development. As an example, our drains exceed 95% of recyclability.



LOCALLY PRODUCED GOODS: More than 93 % of our suppliers are locals reaching 100% of the manufactured products in the EU. As an example, our production facilities are located less than 50 km away.




RESPECT FOR THE ENVIRONMENT: In Guru we are using environmentally friendly packing materials and at the same time we are having rigorous recycling policy. Wherever possible using packaging made from recycled paper.



CARBON FOOTPRINT: Our product has a lower environmental impact than other system, due to the modern industry that we needed and the high standard that we are meeting. Moreover, our product is no VOC (Volatile Organic Compound).





We have established ourselves as leaders in the waterproofing sector thanks to the very latest technology and our highly qualified team.

EVO LITE DRAINS



Beautiful stainless steel drain with ABS base and hair strainer. EVO Lite, EVO Value!



PLUS BRUSHED



PLUS POLISHED



















NEW FINISH







NEW FINISH



NEW FINISH

SPIGA NERO NEW FINISH

| REF. | DESCRIPTION | MSRP |
|---------|------------------------|-----------|
| IDU7005 | EVO LITE SPRING NICKEL | \$ 106.00 |
| IDU7006 | EVO LITE SPRING NERO | \$ 92.00 |
| IDU7007 | EVO LITE SQUARE NICKEL | \$ 106.00 |
| IDU7008 | EVO LITE SQUARE NERO | \$ 92.00 |
| IDU7009 | EVO LITE SPIGA NICKEL | \$ 106.38 |
| IDU7010 | EVO LITE SPIGA NERO | \$ 92.00 |



DRAIN

Lowest height drain 5/16" made of premium stainless steel.

ADAPTER

A push-in resilient connection for the most common clamping ring shower drains.

HAIR STRAINER

Premium ABS hair-strainer included.



EVOLUX SQUARE DRAINS



316 Marine Grade Stainless Steel square drain with a unique clamping connection to fit any pipe connection.









Tileable grate!













LISA ANTIQUE PLUS ANTIQUE

LISA NERO NEW FINISH

NEW FINISH

GOLD

| REF. | DESCRIPTION | SIZE | MODEL | MSRP |
|---------|-------------------------|------|--------------|-----------|
| IDU3104 | SQUARE DRAIN & STRAINER | 4½" | LISA | \$ 139.00 |
| IDU3204 | SQUARE DRAIN & STRAINER | 4½" | PLUS | \$ 139.00 |
| IDU3504 | SQUARE DRAIN & STRAINER | 4½" | INTEGRA | \$ 158.00 |
| IDU4145 | SQUARE DRAIN & STRAINER | 4½" | LISA ANTIQUE | \$ 162.50 |
| IDU4245 | SQUARE DRAIN & STRAINER | 4½" | PLUS ANTIQUE | \$ 162.50 |
| IDU5145 | SQUARE DRAIN & STRAINER | 4½" | LISA NERO | \$ 135.00 |
| IDU5245 | SQUARE DRAIN & STRAINER | 4½" | PLUS NERO | \$ 135.00 |
| IDU6104 | SQUARE DRAIN & STRAINER | 4½" | GOLD | \$ 162.50 |

Shower drain in compliance with ASME A112.18.2-2015/ CSA B125.2-15. Product accepted by IAPMO



Low profile drain 3/8" height made of marine grade stainless steel, 16 gauges.

ADAPTER

A push-in resilient connection for the most common clamping ring shower drains.

HAIR STRAINER

Premium ABS hair-strainer included.



EVOLUX LINEAR DRAINS



316 Marine Grade Stainless Steel linear drain with a unique clamping connection to fit any pipe connection.

| REF. | DESCRIPTION | SIZE | MODEL | MSRP |
|-----------|-------------------------|------|------------|--------------------|
| IDU3116 | LINEAR DRAIN & STRAINER | 16" | LISA | \$ 220.00 |
| IDU3124 | LINEAR DRAIN & STRAINER | 24" | LISA | \$ 230.00 |
| IDU3128 | LINEAR DRAIN & STRAINER | 28" | LISA | \$ 249.00 |
| IDU3136 | LINEAR DRAIN & STRAINER | 36" | LISA | \$ 310.00 |
| IDU3148 | LINEAR DRAIN & STRAINER | 48" | LISA | \$ 340.00 |
| IDU3160 | LINEAR DRAIN & STRAINER | 60" | LISA | \$ 395.00 |
| | | | | |
| IDU3216 | LINEAR DRAIN & STRAINER | 16" | PLUS | \$ 220.00 |
| IDU3224 | LINEAR DRAIN & STRAINER | 24" | PLUS | \$ 230.00 |
| IDU3228 | LINEAR DRAIN & STRAINER | 28" | PLUS | \$ 249.00 |
| IDU3236 | LINEAR DRAIN & STRAINER | 36" | PLUS | \$ 310.00 |
| IDU3248 | LINEAR DRAIN & STRAINER | 48" | PLUS | \$ 340.00 |
| IDU3260 | LINEAR DRAIN & STRAINER | 60" | PLUS | \$ 395.00 |
| IDU3516 | LINEAR DRAIN & STRAINER | 16" | INTEGRA | \$ 248.00 |
| IDU3524 | LINEAR DRAIN & STRAINER | 24" | INTEGRA | \$ 265.00 |
| IDU3528 | LINEAR DRAIN & STRAINER | 28" | INTEGRA | \$ 275.00 |
| IDU3536 | LINEAR DRAIN & STRAINER | 36" | INTEGRA | \$ 349.00 |
| IDU3548 | LINEAR DRAIN & STRAINER | 48" | INTEGRA | \$ 375.00 |
| IDU3560 | LINEAR DRAIN & STRAINER | 60" | INTEGRA | \$ 415.00 |
| | | | | |
| IDU4128 | LINEAR DRAIN & STRAINER | 28" | ANTIQUE | \$ 335.00 |
| IDU4136 | LINEAR DRAIN & STRAINER | 36" | ANTIQUE | \$ 375.00 |
| IDU5124 | LINEAR DRAIN & STRAINER | 24" | LISA NERO | \$ 318.00 |
| IDU5128 | LINEAR DRAIN & STRAINER | 28" | LISA NERO | \$ 325.00 |
| IDU5136 | LINEAR DRAIN & STRAINER | 36" | LISA NERO | \$ 356.00 |
| 1003130 | LINEAN DHAIN & STRAINEN | 30 | LIGATILITO | φ 330.00 |
| IDU5224 | LINEAR DRAIN & STRAINER | 24" | PLUS NERO | \$ 318.00 |
| IDI IO100 | LINEAD DOWN OF CHAINED | 00" | 0015 | A. 0.4.5.00 |
| IDU6128 | LINEAR DRAIN & STRAINER | 28" | GOLD | \$ 345.00 |
| IDU6136 | LINEAR DRAIN & STRAINER | 36" | GOLD | \$ 395.00 |
| IDU3324 | LINEAR DRAIN & STRAINER | 24" | ZEN | \$ 320.00 |
| | | | | |
| IDU5324 | LINEAR DRAIN & STRAINER | 24" | ZEN NERO | \$ 325.00 |
| IDU8136 | LINEAR DRAIN & STRAINER | 36" | ARTS | \$ 312.50 |
| | | | | |
| IDU9128 | LINEAR DRAIN & STRAINER | 28" | GLASS | \$ 379.50 |
| IDU9136 | LINEAR DRAIN & STRAINER | 36" | GLASS | \$ 434.50 |
| | | | | |





TEMPERED GLASS

DRAIN

Low profile drain 3/8" height made of marine grade stainless steel, 16 gauges.

ADAPTER

A push-in resilient connection for the most common clamping ring shower drains.

HAIR STRAINER

Premium ABS hair-strainer included.





SQUARE DRAIN CONNECTOR


Bonding flange for

superior thinset

adhesion

Easy to install shower pipe connection either in mud bed installations or presloped system. (Mud Bed Universal Connector Included).







Can be installed over

exhisting drain pipe

connection






| DRAIN MEASUREMENTS | | |
|--------------------|----------------|--|
| A | 9 ½" - 245 mm | |
| В | 2 ¾" - 70,5 mm | |
| С | 3/8" - 9,5 mm | |
| D | 2 ¾" - 69 mm | |
| E | ½" - 13 mm | |
| F | 7 ¼" - 184 mm | |

TILEABLE DRAIN







Quickest to install

system

| > |
|---|
| |


| NEW PROD | DUCT | | |
|----------|------------------------|-------------|----------|
| REF. | DESCRIPTION | MATERIAL | MSRP |
| IGU6801 | SQUARE DRAIN CONNECTOR | ABS (black) | \$ 49.78 |
| IGU6803 | SQUARE DRAIN CONNECTOR | PVC (grey) | \$ 49.78 |

| INSTALLATION H | INSTALLATION HEIGHT OPTIONS | | |
|----------------|-----------------------------|--|--|
| MUD BED | SYSTEM | | |
| 3/4" | 1" | | |
| | | | |
| 1 ½" | 2" | | |
| | | | |
| PRESLOPE | D SYSTEM | | |
| OTHER MODELS | INTEGRA DRAIN | | |
| | | | |

LINEAR DRAIN CONNECTOR

Easy to install shower drain pipe connection either in mud bed installations or presloped system. It's reduced dimensions make it ideal for "close to wall" installations. Ideal for shower with just 1 slope. (Mud Bed Universal Connector Included).







Bonding flange for

superior thinset

adhesion



Can be installed over

exhisting drain pipe


connection





Quickest to install system

Drain repositioning system up to 3/8"



| NEW PRODU | UCT | | |
|-----------|------------------------|-------------|----------|
| REF. | DESCRIPTION | MATERIAL | MSRP |
| IGU6800 | LINEAR DRAIN CONNECTOR | ABS (black) | \$ 39.05 |
| IGU6802 | LINEAR DRAIN CONNECTOR | PVC (grey) | \$ 39.05 |

| DRAIN MEASUREMENTS | | |
|--------------------|----------------|--|
| Α | 4 ½" - 109 mm | |
| В | 5 ½" - 140 mm | |
| С | 2 ½" - 61 mm | |
| D | 3/8" - 9 mm | |
| E | 2 ¾" - 69 mm | |
| F | 3" - 75 mm | |
| G | 3/5" - 15,5 mm | |

| INSTALLATION HEIGHT OPTIONS | | | |
|-----------------------------|---------------|--|--|
| MUD BED | SYSTEM | | |
| 3/4" | 1" | | |
| | | | |
| 1 ½" | 2" | | |
| | | | |
| PRESLOPE | D SYSTEM | | |
| OTHER MODELS | INTEGRA DRAIN | | |
| | | | |

DRAIN CONNECTOR KIT MUD BED & PRESLOPED SHOWER PAN



SQUARE DRAIN CONNECTOR KIT

- » This kit can be used either for a mortar bed installation or GURU Heavy Duty Presloped Shower Pan 4 slopes.
- » Adaptor ring included with different preset heights for a mortar bed installation from 3/4" to 2" thickness. It also works as an adaptor for the most common body drains on the market with a perforated pattern holes.
- » Horizontal shower drain adjustment allowing 1/4" movement.
- » The most advanced drain body sealant connection.
- » Product developed according to IAPMO PS106.



- 1. Square drain connector
- 2. W-S Sealant

- 3. Mixing Valve Seal
- 4. 3/4" Pipe Seal

- 5. 4x W-S Dex
- 6. 4x W-S Din



| REF. | DESCRIPTION | MATERIAL | MSRP |
|---------|----------------------------|-------------|-----------|
| ICU3009 | SQUARE DRAIN CONNECTOR KIT | ABS (black) | \$ 145.00 |
| ICU3011 | SQUARE DRAIN CONNECTOR KIT | PVC (grey) | \$ 145.00 |

DRAIN CONNECTOR KIT MUD BED & PRESLOPED SHOWER PAN



LINEAR DRAIN CONNECTOR KIT

- » This kit can be used either for a mortar bed installation or GURU Heavy Duty Presloped Shower Pan 2 slopes.
- » Adaptor ring included with different preset heights for a mortar bed installation from 3/4" to 2" thickness. It also works as an adaptor for the most common body drains on the market with a perforated pattern holes.
- » Horizontal shower drain adjustment allowing 3/8" movement.
- » The most advanced drain body sealant connection.
- » Product developed according to IAPMO PS106.



- 1. Linear drain connector
- 2. W-S Sealant

- 3. Mixing Valve Seal
- 4. 3/4" Pipe Seal
- 5. 4x W-S Dex
- 6. 4x W-S Din





| REF. | DESCRIPTION | MATERIAL | MSRP |
|---------|----------------------------|-------------|-----------|
| ICU3010 | LINEAR DRAIN CONNECTOR KIT | ABS (black) | \$ 125.00 |
| ICU3012 | LINEAR DRAIN CONNECTOR KIT | PVC (grey) | \$ 125.00 |


PRESLOPED SHOWER PAN SQUARE





W-S HEAVY DUTY SHOWER TRAY FOR SQUARE DRAINS (4 SLOPES) Heavy Duty Pre-sloped shower pan with 4" overlap. The hardest shower pan in the market, allowing installation of any tile size, including penny tile.











NEW PRODUCT

| REF. | DESCRIPTION | SIZE | HEIGHT | DRAIN PLACEMENT | MSRP |
|---------|----------------------------|-----------|--------------|----------------------------|-----------|
| IMU9400 | W-S HEAVY DUTY SHOWER TRAY | 36" x 60" | 3/8" to 7/8" | CENTER | \$ 158.73 |
| IMU9404 | W-S HEAVY DUTY SHOWER TRAY | 36" x 60" | 3/8" to 3/4" | OFF-CENTER (10" from wall) | \$ 158.73 |
| IMU9401 | W-S HEAVY DUTY SHOWER TRAY | 48" x 48" | 3/8" to 3/4" | CENTER | \$ 150.69 |
| IMU9402 | W-S HEAVY DUTY SHOWER TRAY | 48" x 72" | 3/8" to 7/8" | CENTER | \$ 243.39 |
| IMU9403 | W-S HEAVY DUTY SHOWER TRAY | 72" x 72" | 3/8" to 1" | CENTER | \$ 336.97 |

Developed according to IAPMO PS106. Certified ANSI A118.10 and ANSI A118.12.



Heavy duty



Quickly walkable







Quick installation

Ultra thin

Easily cuttable Fit to size








PRESLOPED SHOWER PAN LINEAR



W-S HEAVY DUTY SHOWER TRAY FOR LINEAR DRAINS (2 SLOPES) Heavy Duty Pre-sloped shower pan with 4" overlap. The hardest shower pan in the market, allowing installation of any tile size, including penny tile.



FOR INTEGRA DRAIN*

*FOR TILEBLE LINEAR DRAIN AND TILE INSTALATION THINER THAN 3/8"

| NEW PROD | UCT | TOTT TIEEDE | | THE TIED IN CONTENT OF THE | 1211 1117 114 0/0 |
|----------|---|---------------|----------------|----------------------------|-------------------|
| REF. | DESCRIPTION | SIZE | HEIGHT | DRAIN PLACEMENT | MSRP |
| IMU9200 | W-S HEAVY DUTY SHOWER TRAY | 37-½" x 59-½" | 3/8" to 1-1/2" | OFF-CENTER | \$ 287.85 |
| IMU9201 | W-S HEAVY DUTY SHOWER TRAY | 49-½" x 47-½" | 3/8" to 1-1/4" | OFF-CENTER | \$ 276.41 |
| IMU9202 | W-S HEAVY DUTY SHOWER TRAY | 49-½" x 71-½" | 3/8" to 1-3/4" | OFF-CENTER | \$ 380.00 |
| IMU9203 | W-S HEAVY DUTY INTEGRA SHOWER TRAY | 37-½" x 55-¼" | 3/8" to 1-1/2" | OFF-CENTER | \$ 287.85 |
| IMU9204 | W-S HEAVY DUTY INTEGRA SHOWER TRAY | 49-½" x 43-¼" | 3/8" to 1-1/4" | OFF-CENTER | \$ 276.41 |
| IMU9205 | W-S HEAVY DUTY INTEGRA SHOWER TRAY | 49-½" x 67-¼" | 3/8" to 1-3/4" | OFF-CENTER | \$ 380.00 |

Developed according to IAPMO PS106. Certified ANSI A118.10 and ANSI A118.12.











Heavy duty

Quickly walkable

Quick installation

Ultra thin

Easily cuttable Fit to size










INSTALLATION TRAY FOR SQUARE DRAINS



INSTALLATION TRAY FOR LINEAR DRAINS





1. Position the tray marking the drain position. Drill a 7 1/2" hole.

5. Apply thin set cement in shower

area perimeter where curb will be

installed. Set the curb in top of the thin


set before it cures and apply presure

9. Press by hand to distribute the W-S


SEALANT and clean the excess mate-

rial on the edge.


on top of it.




with drive head screws non les than 4 mm (T20). View heights in page 18. Note: In concrete installations set the drain levelled with thinset.




3. Apply thin set cement (tile adhesive) in the drain shower area with 1/4" x 1/4" notched trowel from the shower perimeter to the drain.




4. Set the W-S HEAVY DUTY SHOWER TRAY in top of the thin set before it cures and apply presure on




6. Waterproof the walls either with 7. Use the preformed W-S Corners to WATER-STOP membrane or W-S seal the installation laying it and press BOARD. Connect waterproofing fixing firmly. Remove any trapped air to overlapping to walls and curb applying guarantee full adhesión by spreading thin set cement between both parts. the adhesive from the inside out.




8. Lift the Edge of the WATER-STOP sheet, insert the cannula od the W-S SEALANT and apply a continuous line of W-S SEALANT in the perimeter sealant area.




11. Turn it until it is flushed with the shower pan and locked.



12. Wait one hour before flood test (according local codes) when using Guru W-S Sealant to install the



13A. Set the drain receiver in the upright position for standard drain.




10. Place the bonding flange in top of

the drainblody and press it.


13B. Downward position to receive a tileable drain (INTEGRA) from the lowest height level.




14. Tile on top of the WATER-STOP membrane using the tile required notched trowel




15. Install the tile according to TCNA handbook.




1. Position the tray marking the drain position




2. Cut a 4-1/2" x 4-1/2" rectangle in the wood




3. Verify the drainpipe is at least at 1-3/8" (33 mm) of the substrate surface. Glue the drain body to the drainpipe using the proper adhesive (ABS - black or PVC - white).




4. Screw the drainbody to the substrate and check the height 3/8". View heights in page 19.







5. Apply thin set cement in the drain shower area with a 1/4" notched trowel from the shower perimeter to the drain. RECOMMENDED THINSET ANSI A118.4. ANSI A118.11 and ANSI A118.15.




6. Set the SHOWER TRAY in top of the tinset before it cures and apply presure on top of it.



7. Lift the edge of the WATER-STOP sheet, insert the cannula of the W-S Sealant 1/2" and apply a continuous line of mastic in the connection drainbody - WATER-STOP.



8. Press by hand to distribute the W-S Sealant and clean the excess material on the edge.




9. Place the bonding flange in top of the drainbody and press until it is lush and locked.


13. Tile on top of the HEAVY DUTY

SHOWER TRAY using the tile required

notched trowel.




10. Flood test according to local code. If W-S Sealant has been used to install the corners, the test can be performed after 1 hour.




11. Waterproof the walls either with WATER-STOP sheet or W-S Board.



12. Place the height support ring to allow adjust of the drain height. The height may vary depending on the tile thickness.



14. Adjust the height of the drain depending on the tile thickness.



15. Once tiled and grouted add the hair trap and drain strainer.



SCAN THE QR FOR INTEGRA DRAIN INSTALLATION.

KIT FOR MUD BED SHOWER



The evolux kit is the perfect shower system for the mud slope installers which want to have the best results at the lowest cost. Very well packed, easy to carry by hand with all the materials the contractor needs besides the tile, the thin-set and grout.



- 1. WATER-STOP waterproofing membrane 6' 6" x 6' 6" (48 sqft).
- 2. Two-piece EVOLUX clamping ring and adapter with a resilient gasket for push-in connection of the strainer
- 3. An ABS drain body base with 2" Sch. 40 hub x inside 3" connection; 4 x 34" hex bolts to attach the ring to the drain body.
- 4. 4 W-S DIN preformed in-corner.
- 2 W-S DEX preformed out-corner.
- 6. Mixing Valve Seal.
- 7. Weep Hole Protector.
- 8. Evolux Template (for Integra model).



| REF. | DESCRIPTION | MSRP |
|---------|-----------------------------|-----------|
| ICU3004 | EVOLUX SYSTEM WITHOUT DRAIN | \$ 122.50 |



6' 6" x 6' 6" - IFU5503



Two-piece EVOLUX Clamping ring and adapter

IPU0101 + IPU0102



ABS drain body base IPU0100



W-S DIN IGU6006



IGU6005



MIXING Valve Seal IGU6007



Weep Hole Protector IPU0301



Evolux Template IPU0303

KIT FOR PRESLOPED SHOWER



Quickest preformed tray with waterproofing factory bonded. It comes with a low profile height shower drain which fits in our push fit clamping ring easily.





| REF. DESCRIPTION DRAIN MEASURE DRAIN PLACEMENT MS | SRP |
|---|---------------|
| ISU0002 SUPERKIT SQUARE ABS 36" x 60" OFF-CENTER \$ 69 | 692.70 |
| ISU0003 SUPERKIT SQUARE ABS 48" x 48" CENTER \$ 66 | 641.02 |
| ISU0004 SUPERKIT SQUARE ABS 36" x 60" CENTER \$ 65 | 692.70 |
| | |
| ISU0005 SUPERKIT SQUARE ABS 48" x 72" CENTER \$8 | 375.00 |
| ISU0005 SUPERKIT SQUARE ABS 48" x 72" CENTER \$8" | 375.00 |
| | 875.00 SRP |
| REF. DESCRIPTION DRAIN MEASURE DRAIN PLACEMENT MS | |
| REF. DESCRIPTION DRAIN MEASURE DRAIN PLACEMENT MS ISU0008 SUPERKIT SQUARE PVC 36" x 60" OFF-CENTER \$ 69 | SRP |
| REF. DESCRIPTION DRAIN MEASURE DRAIN PLACEMENT MS ISU0008 SUPERKIT SQUARE PVC 36" x 60" OFF-CENTER \$ 69 ISU0009 SUPERKIT SQUARE PVC 48" x 48" CENTER \$ 69 | SRP 692.70 |





36" / 48" Waterproofed Curb IMU9018 / IMU9019



2x WATER-STOP 3' 3" x 16' 5" Roll 1x WATER-STOP 3' 3" x 32' 10" Roll



4x W-S DIN IGU6006



2x W-S DEX IGU6005



Evo Lite Plus Brushed IDU7011



Hair Strainer

IP01118

2x IFU5100 / 1x IFU5113

MIXING Valve Seal IGU6007



IGU6004

34" W-S Pipe Seal



IGU6400

Square Drain Connector IGU6801 (ABS) / IGU6803 (PVC)


GURU USA PRICE LIST | 27 26 | GURU USA PRICE LIST

WATER-STOP WATERPROOFING MEMBRANE



Waterproofing and standard crack isolation membrane. WATER-STOP meets and exceed the requirements of: **ANSI A118.10** (IAPMO FILE 9205) and **ANSI A118.12** (IAPMO FILE 9990).

Product accepted by IAPMO.









Support adaptability



Vertical fastening




Large formats



Minimum installation height

WATER-STOP is a highly-flexible, low perm multi-layer steam barrier sheet membrane 20-mil thick for bonded waterproofing applications. It is suitable to be used in conjunction with ceramic and stone tile covering for wall and floor surfaces, interior and exterior, where protection against the penetration of moisture is necessary in new construction and renovation projects. As a crack isolation membrane WATER-STOP protects ceramic tile and natural stone from limited in-plane cracks and movement. Also ideal for use in steam showers as per its low perm rating.

Applications include showers walls, tub surrounds, bathrooms, steam showers, commercial and residential kitchens, backsplashes areas surrounding swimming pools, balconies, etc.





| REF. | DESCRIPTION | MEASURE | MSRP/SQFT | MSRP |
|---------|--------------------|----------------------------|--------------|-----------|
| IFU5502 | WATER-STOP PRE-CUT | 4' x 6' 7" = 26 sqft | \$ 2.24/sqft | \$ 58.25 |
| IFU5501 | WATER-STOP PRE-CUT | 5' x 6' 7" = 32 sqft | \$ 1.94/sqft | \$ 62.00 |
| IFU5503 | WATER-STOP PRE-CUT | 6' 7" x 6' 7" = 43 sqft | \$ 1.65/sqft | \$ 71.08 |
| IFU5100 | WATER-STOP ROLL | 3' 3" x 16' 5" = 54 sqft | \$ 2.08/sqft | \$ 112.69 |
| IFU5113 | WATER-STOP ROLL | 3' 3" x 32' 10" = 108 sqft | \$ 2.05/sqft | \$ 221.75 |
| IFU5200 | WATER-STOP ROLL | 3' 3" x 98' 5" = 323 sqft | \$ 1.93/sqft | \$ 624.10 |
| IFU5300 | WATER-STOP ROLL | 6' 7" x 65' 7" = 430 sqft | \$ 1.89/sqft | \$ 810.98 |

FORMATS

 $A / 4' \times 6' 7" = 26$ sqft

B/5' x 6' 7" = 32 sqft


 $C / 6' 7" \times 6' 7" = 43$ sqft

D/3' 3" x 16' 5" = 54 sqft

E / 3' 3" x 32' 10" = 108 sqft

F/3'3" x 98'5" = 323 sqft

 $G / 6' 7" \times 65' 7" = 430$ sqft






Ö

Lightweight construction board made of a XPS core factory bonded in both sides to WATER-STOP membrane exceeding the core dimension - creating a WATER-STOP flange.

Developed according to IAPMO PS106 for tileable kit. Certified ANSI A118.10 and ANSI A118.12.



- No banding required
- Non-puncture protection
- Superior pull-out performance
- Reduces the building time



NEW PRODUCT

| REF. | DESCRIPTION | MEASURE | MSRP |
|---------|-------------|---------------------------------------|-----------|
| IMU9300 | W-S BOARD | 3' x 5' x 1/2" | \$ 48.60 |
| IMU9301 | W-S BOARD | 4' x 8' x 1/2" | \$ 123.87 |
| IMU9310 | W-S BOARD | 3' x 5' x 1/2" - Pre cut at 3' x 2.5' | \$ 53.24 |






| NEW PRODUCT | | | |
|-------------|--------------------------------------|----------------|----------|
| REF. | DESCRIPTION | QUANTITY | MSRP |
| IGU6018 | SCREW & WASHER SET | 100 UNITS EACH | \$ 24.89 |
| IGU6019 | THREADED SCREW FOR STUD FRAMING T-20 | 200 UNITS | \$ 15.83 |
| IGU6026 | GALVANIZED WASHERS | 200 UNITS | \$ 24.95 |

Waterproofing and extra heavy duty crack isolation membrane. G-FLEX meets and exceed the requirements of: ANSI A118.10 (IAPMO FILE 9205) and ANSI A118.12 (IAPMO FILE 9290).

Product accepted by IAPMO.



| REF. | DESCRIPTION | MEASURE | MSRP/M ² | MSRP/ROLL |
|---------|-------------|---------------------------|---------------------|-----------|
| ILU5100 | G-FLEX ROLL | 3' 3" x 45' 9" = 150 sqft | \$ 1.96/sqft | \$ 294.84 |
| ILU5200 | G-FLEX ROLL | 3' 3" x 98' 5" = 323 sqft | \$ 1.84/sqft | \$ 596.32 |

G-Flex by Guru is a polyethylene membrane with a raised circular pattern. The back of the membrane is covered by a geotextile fiber. Acts as a **waterproofing** membrane, **compensates vapor pressure** if moisture appear on the substrate and a uncoupling membrane on critical substrates. We leave the different uses of the membrane: Food plants, dairies, breweries, airports, kitchens...












Uncoupling

Waterproofing

Vapor pressure compensation

Load distribution

Heat distribution



WATER-STOP ACCESSORIES

3/4" PIPE SEAL · To seal around inlet and outlet pipes

 $W ext{-S DEX} \cdot \text{For exterior corners reinforcement}$

W-S DIN · For interior corners reinforcement

REF.

IGU6004

IGU6005

IGU6006

DESCRIPTION

Reinforcements to complete safely the waterproofing. Waterproofing and crack isolation membrane in accordance with the standards: **ANSI A118.10 and ANSI A118.12.** Product accepted by IAPMO

MSRP

\$ 9.55

\$ 19.21

\$ 19.21



WATER-STOP ACCESSORIES

| Reinforcements to complete safely the waterproofling. Waterproofling and crack isolation membrane in accordance with |
|--|
| the standards: ANSI A118.10 and ANSI A118.12. Product accepted by IAPMO |
| |

| REF. | DESCRIPTION | MSRP |
|---------|--|----------|
| IGU6500 | PACK ABS DRAIN BODY EVOLUX · ABS Drain body + Two pieces Clamping ring + Weep hole protector | \$ 31.50 |
| IGU6501 | PACK ABS DRAIN BODY SUPERKIT · ABS Drain body + One piece Clamping ring + Weep hole protector | \$ 30.00 |





| REF. | DESCRIPTION | MSRP |
|---------|---|----------|
| IGU6700 | PACK CAST IRON BODY EVOLUX · CAST IRON Drain body + Two pieces Clamping ring + Weep hole protector | \$ 61.50 |
| IGU6701 | PACK CAST IRON BODY SUPERKIT · CAST IRON Drain body + One piece Clamping ring + Weep hole protector | \$ 60.00 |





| a line |
|--------|

| REF. | DESCRIPTION | MSRP |
|---------|---|----------|
| IGU6016 | DRAIN FLASHING SET · Preformed membrane of 16" and 1/2" to 1-3/4" heigh adapter to flashing connection to drain. | \$ 38.00 |
| IGU6007 | MIXING VALVE SEAL · Membrane section with 4 - 1/2" diameter integrated rubber gasket to mixing valve seal. | \$ 10.90 |



| REF. | DESCRIPTION | MSRP |
|---------|--|-----------|
| IGU6100 | ROLL 6" x 65' 7" (14 cm x 20 m) · 6 inched width is perfect for sealing joints as a backing strip It is also recommended for use with liquid waterproofing systems for reinforcing floor to wall joints. | \$ 58.30 |
| IGU6200 | ROLL 1' 1" x 65' 7" (34 cm x 20 m) · Its width is great for sealing floor to wall joints in waterproofing terraces and balconies. | \$ 133.16 |






| | 826 |
|------|----------|
| Pera | № |
| | · · |

| REF. | DESCRIPTION | SIZE | MSRP (piece) | MSRP (box) |
|--------|---|-----------------|-----------------|---------------------|
| 600003 | G-TROWEL · Golden Stainless Steel notched ergonomic trowel | 1/8" x 1/8" | \$ 12.95 | \$ 77.70 (6 pieces) |
| 600045 | G-TROWEL · Golden Stainless Steel notched ergonomic trowel | 11/64" x 11/64" | \$ 12.95 | \$ 77.70 (6 pieces) |
| 600006 | G-TROWEL · Golden Stainless Steel notched ergonomic trowel | 1/4" x 1/4" | \$ 12.95 | \$ 77.70 (6 pieces) |

| A A | |
|-----|--|
| | |

| REF. | DESCRIPTION | SIZE | MSRP |
|------------------------------|------------------|------------|-----------|
| IMU9018 W-S CURB 36" (2 pcs) | 4 ½" X 36" | \$ 144.30 | |
| IMU9019 | W-S CURB 48" | 4 ½" X 48" | \$ 79.29 |
| IMU9020 | W-S CURB 60" | 4 ½" X 60" | \$ 113.97 |
| IMU9022 | W-S RAMP (2 pcs) | 36" X 12" | \$ 56.00 |
| | | ' | |



| REF. | DESCRIPTION | MSRP |
|---------|---|----------|
| IGU6400 | W-S SEALANT · Sealant adhesive to seal WATER-STOP products and its complementary drains | \$ 28.19 |
| IGU6024 | EASEAL 3 kg · Polymer-modified mortar (PCC) monocomponent. Elastic and flexible waterproofing. | \$ 46.25 |

LEVELING SYSTEMS XPRO

LEVELING SYSTEMS XPRO









Faster tile installation with top results with XPro Tools.

| REF. | DESCRIPTION | MEASURE | PACKAGING | QUANTITY | MSRP |
|--------|-------------|---------|-----------|----------|----------|
| 132500 | CLIP | 1/32" | BAG | 500 | \$ 45.40 |
| 401650 | CLIP | 1/16" | BAG | 500 | \$ 42.50 |
| 400850 | CLIP | 1/8" | BAG | 500 | \$ 44.00 |
| 531650 | CLIP | 3/16" | BAG | 500 | \$ 49.00 |













- **Heavy Duty** Wedge Cuña resistente
- High Performance Injected Plastic Plástico inyectado de alto rendimiento
- **Slim Base** to avoid air under the tile Base delgada para evitar el aire bajo la baldosa
- Colored pliers head for easier installation Cabezal de alicates de colores para facilitar la instalación

| REF. | DESCRIPTION | PACKAGING | QUANTITY | MSRP |
|--------|-------------|-----------|----------|----------|
| 101020 | PLIERS | BAG | 1 | \$ 23.60 |






HOW MANY PIECES DO YOU NEED?













NEW PRODUCT

| REF. | DESCRIPTION | PACKAGING | QUANTITY | MSRP |
|--------|------------------|-----------|----------|----------|
| 600100 | CAP | BAG | 100 | \$ 25.61 |
| 600018 | 1/8 SPACER SPIN | BAG | 250 | \$ 22.00 |
| 600116 | 1/16 SPACER SPIN | BAG | 250 | \$ 22.00 |
| 600132 | 1/32 SPACER SPIN | BAG | 250 | \$ 22.00 |











DISPLAYS



GURU USA POSTER











Printed poster, 5 models available. **SIZE (inches):** 28 x 71 wide x height

\$ 50.00

POS DISPLAY -

POS display (point of sales) is the perfect way to present and explain or shower drains. It have displayed each one of our designs to claim client attraction.

SIZE (inches): 40 x 75.75 x 15.75 wide x height x depth

\$ 250.00



XPRO EXPOSITOR

Cardboard container display. It contains 11 bags of different products that the customer can choose from.



DISPLAYS



REAL SQUARE DRAINS DISPLAY -

It has a reals shower drains to show our astonishing finishes.

INCLUDES:

- 4 1/2" all models shower drains.

SIZE (inches): 39.7 x 35,43 x 0.78 wide x height x depth

\$ 400.00



REAL LINEAR DRAINS DISPLAY -

It has a reals shower drains to show our astonishing finishes.

INCLUDES:

- 28" all models shower drains.

SIZE (inches): 39.7 x 35,43 x 0.78 wide x height x depth

\$ 400.00





