

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

ESTIL GURU S.L.

APDO. DE CORREOS 584 ONTINYENT 46870, VALENCIA, SPAIN

Product:

Shower Pan Liner

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are certified to the following standard(s)

ANSI A118.10-2014, which is a component standard of the ANSI A108, A118, and A136 American National Standard Specifications for the Installation of Ceramic Tile (Material and Installation Standards) compendium published November 2017.

File Number: 9205

Revised Date: January 10, 2024

Effective Date: August 2019

Void After: August 2024*


Chairman, Product Certification Committee




Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ESTIL GURU S.L.

File Number: 9205

Product: Shower Pan Liner

Effective Date: August 2019

Revised Date: January 10, 2024

Void After: August 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Manufacturer's name or trademark, and the cUPC® certification mark.

Characteristics:

Load bearing, bonded, waterproof membranes for thin-set ceramic tile and dimension stone installation. To be installed in accordance with the manufacturers instruction and the latest Uniform Plumbing Code and jurisdictional requirements in Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: ESTIL GURU S.L.

File Number: 9205

Product: Shower Pan Liner

Effective Date: August 2019

Revised Date: January 10, 2024

Void After: August 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
WATER-STOP 1M	Rolls of WATER-STOP with different large measures but all in a wide of 1 meter/ 3'3".10
WATER-STOP 2M	Rolls of WATER-STOP with different large measures but all in a wide of 2 meter/6'6".
W-S 14	Roll BAND Roll of WATER-STOP membrane which measures 5'1/2"x66' (14 cm x 20 m)
W-S 34	Roll BAND Roll of WATER-STOP membrane which measures 13'1/3"x66'(34 cm x 20 m)
W-S	DRAINFLASHING Preformed section of WATER-STOP to flashing connection to drain
W-S	DIN Preformed, seamless 90° inside corners from a section of WATER-STOP membrane
W-S	DEX Preformed seamless 90° outside/dam corners from a section of WATER-STOP membrane
W-S	TUBO Section of WATER-STOP with preformed gasket to seal pipe protrusions